

---

**SAFETY DATA SHEET**

---

This Safety Data Sheet is provided in compliance with the EC Regulations 1907/2006, 1272/2008, 2015/830 and 2020/878

---

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

## 1.1 Product identifier

- Product Name: Foaming Drivetrain Degreaser
- UFI: KT2U-NNU0-T10C-46RV
- Product Part Number: 3170

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

- Use of the substance/mixture: Cleaning agent

## 1.3 Details of the supplier of the safety data sheet

- Name of Supplier: Peaty's Ltd
- Address of Supplier: The Circle 33,  
Rockingham Lane,  
Sheffield,  
UK  
S1 4FW,
- Telephone: +44 (0)330 001 1289
- Responsible Person: Chemical Compliance
- Email: info@peatys.co.uk

EU Only Representative :  
CERTLabel UG, Mühlenstr. 8a,  
14167, Berlin, DEUTSCHLAND  
Tel: +44 (0) 203 137 2252

## 1.4 Emergency telephone number

- +44 (0) 2070303187
  - US Toll free: 1-8772717077
- 

**SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

- CLP: Eye Dam. 1

## 2.2 Label elements



- Signal Word: Danger

## Hazard statements

Causes serious eye damage.

## Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

## SECTION 2: Hazards identification (....)

present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER or doctor/physician.

### 2.3 Other hazards

- Contains: 3-methoxy-3-methylbutan-1-ol; Decanol Ethoxylate 7EO; Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts
  - Contains: 1,2-benzisothiazol-3(2H)-one
  - Composition information in accordance with EC Regulation 648/2004 of the European Parliament and of the Council of 31st March 2004 on detergents: anionic surfactants <5%, non-ionic surfactants <5%
  - No hazard expected under normal conditions of use
- 

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### 3-methoxy-3-methylbutan-1-ol

CAS Number: 56539-66-3

EC Number: 260-252-4

Concentration: 1-10%

Specific Concentration Limits: None assigned

M factor: Not applicable

Acute toxicity estimate: LD<sub>50</sub> (oral, rat): 4400 mg/kg, LC<sub>50</sub> (inhalation, rat): >5 mg/l/4h, LD<sub>50</sub> (skin, rat): >2000 mg/kg

Categories: Eye Irrit. 2

REACH Registration Number: 01-2119976333-33-XXXX

Symbols: GHS07

H Statements: H319

#### 2-methoxy-1-methylethyl acetate

CAS Number: 108-65-6

EC Number: 203-603-9

Concentration: 1-10%

Specific Concentration Limits: Not applicable

M factor: Not applicable

Acute toxicity estimate: LD<sub>50</sub> (oral, rat): 6190 mg/kg, LD<sub>50</sub> (skin, rabbit): >2000 mg/kg

Categories: Flam. Liq. 3, STOT SE 3

REACH Registration Number: 01-2119475791-29-XXXX

Symbols: GHS02, GHS07

H Statements: H226, H336

#### Decanol Ethoxylate 7EO

CAS Number: 160875-66-1

EC Number:

Concentration: 1-5%

Specific Concentration Limits: None assigned

M factor: Not applicable

Acute toxicity estimate: Not available

### SECTION 3: Composition/information on ingredients (....)

Categories: Acute Tox. 4, Eye damage, category 1  
Symbols: GHS05, GHS07  
H Statements: H302, H318

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

CAS Number: 68411-30-3  
EC Number: 270-115-0  
Concentration: 1-5%  
Specific Concentration Limits: None assigned  
M factor: 1  
Acute toxicity estimate: LD<sub>50</sub> (oral, rat): 1080 mg/kg, LD<sub>50</sub> (skin, rat): >2000 mg/kg  
Categories: Acute Tox. 4, Skin Irrit. 2, Eye damage, category 1, Aquatic Chronic 3  
REACH Registration Number: 01-2119489428-22-XXXX  
Symbols: GHS05, GHS07  
H Statements: H302, H315, H318, H412

2-phosphonobutane-1,2,4-tricarboxylic acid

CAS Number: 37971-36-1  
EC Number: 253-733-5  
Concentration: 0.1-1%  
Specific Concentration Limits: Not applicable  
M factor: Not applicable  
Acute toxicity estimate: LD<sub>50</sub> (oral, rat): 8300 mg/kg, LC<sub>50</sub> (inhalation, rat): >1979 mg/l/4h,  
LD<sub>50</sub> (skin, rat): >1300 mg/kg  
Categories: Met. Corr. 1, Eye Irrit. 2  
REACH Registration Number: 01-2119436643-39-0000  
Symbols: GHS05, GHS07  
H Statements: H290, H319

Pyridine-2-thiol 1-oxide, sodium salt

CAS Number: 3811-73-2  
EC Number: 223-296-5  
Concentration: 0-0.1%  
Specific Concentration Limits: Not applicable  
M factor: 100;10  
Acute toxicity estimate: LD<sub>50</sub> (oral, rat): 1208 mg/kg, LC<sub>50</sub> (inhalation, rat): 1.08 mg/l/4h,  
LD<sub>50</sub> (skin, rabbit): 1800 mg/kg  
Categories: Acute Tox. 4, Acute Tox. 3, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, Aquatic  
Acute 1, Aquatic Chronic 1  
REACH Registration Number: 01-2119493385-28-XXXX  
Symbols: GHS06, GHS09  
H Statements: H302, H311, H315, H317, H319, H400, H410  
M factor, acute: 100  
M factor, chronic: 10

1,2-benzisothiazol-3(2H)-one

CAS Number: 2634-33-5  
EC Number: 220-120-9

### SECTION 3: Composition/information on ingredients (....)

Concentration: 0-0.1%  
Specific Concentration Limits: Skin Sens. 1; H317: C ≥ 0,05 %  
M factor: 10  
Acute toxicity estimate: LD<sub>50</sub> (oral, rat): 490 mg/kg, LD<sub>50</sub> (skin, rat): >2000 mg/kg  
Categories: Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1  
REACH Registration Number: 01-2120761540-60-XXXX  
Symbols: GHS05;GHS07;GHS09  
H Statements: H302;H315;H318;H317;H400  
M factor, acute: 10

---

### SECTION 4: First aid measures

Use personal protective equipment as required.

#### 4.1 Description of first aid measures

##### Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
If breathing is difficult, oxygen should be given by a trained person  
Seek medical advice if necessary

##### Ingestion

Rinse mouth with water (only if the person is conscious)  
Do not induce vomiting  
Never give anything by mouth to an unconscious person  
Keep warm and at rest, in a half upright position. Loosen clothing  
Seek medical advice

##### Contact with skin

Wash affected area with plenty of soap and water  
If skin irritation occurs: Get medical advice/attention.

##### Contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

##### Inhalation

May cause irritation  
May cause coughing  
In cases of severe exposure, breathing difficulty may develop

##### Ingestion

May cause irritation  
May cause nausea/vomiting  
May cause gastro-intestinal disturbances

##### Contact with skin

May cause irritation  
Repeated exposure may cause skin dryness or cracking

## **SECTION 4: First aid measures (....)**

Contact with eyes

- Causes serious eye damage.
- May cause burning sensation
- May cause redness

4.3 Indication of any immediate medical attention and special treatment needed

- Treat symptomatically
- 

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media

- Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions
- In case of fire use water spray or fog, alcohol resistant foam, dry chemical or carbon dioxide
- Do not use water jets

5.2 Special hazards arising from the substance or mixture

- Smoke from fires is irritating. Take precautions to protect personnel from exposure
- May give off noxious and toxic fumes in a fire
- Carbon oxides may be formed

5.3 Advice for firefighters

- Wear suitable protective clothing, eye/face protection and gloves
  - Avoid breathing dust/fume/gas/mist/vapours/spray.
  - In case of insufficient ventilation, wear suitable respiratory equipment
  - Keep container(s) exposed to fire cool, by spraying with water
  - Prevent run off water from entering drains if possible
  - In case of inadequate ventilation wear respiratory protection.
- 

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

- Use personal protective equipment as required.
- Remove contaminated material to safe location for subsequent disposal
- Seek expert advice for removal and disposal of all contaminated materials and wastes
- Wash thoroughly after dealing with spillage

6.2 Environmental precautions

- Stop leak if safe to do so.
- Avoid release to the environment.
- Do not empty into drains
- Use appropriate containment to avoid environmental contamination
- If contamination of drainage systems or water courses is unavoidable, immediately inform appropriate authorities

6.3 Methods and material for containment and cleaning up

- Wear protective clothing as per section 8
  - Absorb spillage in suitable inert material
  - Dyke to prevent entry to sewer or waterway. Transfer liquid to a holding container
  - Place in sealable container
  - Dispose of this material and its container at hazardous or special waste collection point
  - Obtain the consent of pollution control authorities before discharging to waste water treatment plants
-

## SECTION 6: Accidental release measures (....)

- Decontaminate personal protective equipment after use. If this is not possible, dispose of as contaminated waste
- Wash thoroughly after dealing with spillage
- Wash affected area with plenty of water

### 6.4 Reference to other sections

- See Section 11 - Toxicological Information
  - See Section 8
- 

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- When using do not eat, drink or smoke
- Ensure adequate ventilation
- Do not breathe spray/mists
- IF ON SKIN: Wash with plenty of soap and water.
- Use personal protective equipment as required.
- Keep away from food, drink and animal feedingstuffs
- Wash thoroughly after use

### 7.2 Conditions for safe storage, including any incompatibilities

- Ensure adequate ventilation
- Store above 5 °C
- Keep at temperature not exceeding 35 °C
- Opened containers should be carefully resealed and stored in an upright position
- Protect from frost
- Use appropriate containment to avoid environmental contamination

### 7.3 Specific end use(s)

- See Section 1.2
- 

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### 3-methoxy-3-methylbutan-1-ol

- DNEL (Consumer; dermal, long term systemic effects): 3.1 mg/kg bw/day
- DNEL (Consumer; inhalational, long term systemic effects): 40 mg/m<sup>3</sup>
- DNEL (Consumer; oral, long term systemic effects): 2.5 mg/kg bw/day
- DNEL (Industry; dermal, long term systemic effects): 6.25 mg/kg bw/day
- DNEL (Industry; inhalational, long term systemic effects): 80 mg/m<sup>3</sup>

#### 2-methoxy-1-methylethyl acetate

- DNEL (Consumer; dermal, long term systemic effects): 320 mg/kg bw/day
- DNEL (Consumer; inhalational, long term local effects): 33 mg/m<sup>3</sup>
- DNEL (Consumer; inhalational, long term systemic effects): 33 mg/m<sup>3</sup>
- DNEL (Consumer; oral, long term systemic effects): 36 mg/kg bw/day
- DNEL (Consumer; oral, short term systemic effects): 500 mg/kg bw/day
- DNEL (Industry; dermal, long term systemic effects): 796 mg/kg bw/day
- DNEL (Industry; inhalational, long term systemic effects): 275 mg/m<sup>3</sup>
- DNEL (Industry; inhalational, short term local effects): 550 mg/m<sup>3</sup>

#### Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts


## SECTION 8: Exposure controls/personal protection (....)

DNEL (Consumer; dermal, long term systemic effects): 42.5 mg/kg bw/day  
DNEL (Consumer; inhalational, long term systemic effects): 1.3 mg/m<sup>3</sup>  
DNEL (Consumer; oral, long term systemic effects): 0.425 mg/kg bw/day  
DNEL (Industry; dermal, long term systemic effects): 119 mg/kg bw/day  
DNEL (Industry; inhalational, long term systemic effects): 7.6 mg/m<sup>3</sup>

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one

DNEL (Consumer; dermal, long term systemic effects): 0.345 mg/kg bw/day  
DNEL (Consumer; inhalational, long term systemic effects): 1.2 mg/m<sup>3</sup>  
DNEL (Industry; dermal, long term systemic effects): 0.966 mg/kg bw/day  
DNEL (Industry; inhalational, long term systemic effects): 6.81 mg/m<sup>3</sup>

### 8.2 Exposure controls



- Engineering controls should be provided which maintain airborne concentrations below the relevant guidelines
- Wear goggles giving complete eye protection
- EN166
- Wear suitable gloves:
- EN374
- Wear suitable protective clothing
- EN14325
- In case of insufficient ventilation, wear suitable respiratory equipment
- EN136
- EN140
- EN149
- Check with personal protection equipment manufacturer
- Wear nitrile gloves
- Wear butyl rubber gloves

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Physical state: liquid
- Colour: colourless
- Odour: Characteristic odour
- Melting point/Range: <0 °C at 760 mm Hg
- Boiling Point/Range: 100 °C at 760 mm Hg
- Flammability: Not flammable
- pH: 6-8 at 100 % concentration
- Solubility in water: Miscible with water
- Density: 0.99 - 1.01 g/cm<sup>3</sup> at 20 °C
- Flashpoint: Not applicable
- Kinematic viscosity: 4.95 - 10.1 mm<sup>2</sup>/s
- Oxidising Properties: Not oxidising
- Explosive Properties: Non-explosive

### 9.2 Other information

- Shelf life: N/A months

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

- No hazardous reactions known if used for its intended purpose
- Reacts with acids and alkalis

### 10.2 Chemical stability

- Considered stable under normal conditions

### 10.3 Possibility of hazardous reactions

- May generate heat

### 10.4 Conditions to avoid

- Keep away from heat
- Keep at temperature not exceeding 35 °C

### 10.5 Incompatible materials

- Avoid contact with acids and alkalis
- Avoid contact with oxidising substances

### 10.6 Hazardous decomposition products

- No hazard expected under normal conditions of use
- 

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

- Estimated LD<sub>50</sub> (oral) (ATE) : >2000 mg/kg
- Estimated LD<sub>50</sub> (dermal) (ATE) : >4000 mg/kg
- Estimated LD<sub>50</sub> (inhalational) (ATE) : >20 mg/l/4hr (gas/vapour)

#### Skin corrosion/irritation

Based on the available data, the classification criteria are not met

#### Serious eye damage/irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Based on the available data, the classification criteria are not met

#### Germ cell mutagenicity

Based on the available data, the classification criteria are not met

#### Carcinogenicity

Based on the available data, the classification criteria are not met

#### Reproductive toxicity

Based on the available data, the classification criteria are not met

#### STOT (specific target organ toxicity) - single exposure

Based on the available data, the classification criteria are not met

---

## SECTION 11: Toxicological information (....)

STOT (specific target organ toxicity) - repeated exposure

Based on the available data, the classification criteria are not met

Aspiration hazard

Based on the available data, the classification criteria are not met

### 11.2 Information on other hazards

- Repeated exposure may cause skin dryness or cracking
- 

## SECTION 12: Ecological information

### 12.1 Toxicity

3-methoxy-3-methylbutan-1-ol

IC<sub>50</sub> (algae): >1000 mg/l (72 hr)

LC<sub>50</sub> (fish): >100 mg/l (96 hr)

2-methoxy-1-methylethyl acetate

IC<sub>50</sub> (algae): >1000 mg/l (72 hr)

EC<sub>50</sub> (daphnia): >500 mg/l (48 hr)

LC<sub>50</sub> (fish): 100-150 mg/l (96 hr)

PNEC (Fresh water): 0.635 mg/l

PNEC (Marine water): 0.064 mg/l

PNEC (Sediment; fresh water): 3.29 mg/kg

PNEC (Sediment; marine water): 0.329 mg/kg

PNEC (Soil): 0.29 mg/kg

PNEC (STP): 100 mg/l

Decanol Ethoxylate 7EO

IC<sub>50</sub> (algae): >100 mg/l (72 hr)

EC<sub>50</sub> (daphnia): >100 mg/l (48 hr)

LC<sub>50</sub> (fish): >100 mg/l (96 hr)

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

IC<sub>50</sub> (algae): 235 mg/l (72 hr)

EC<sub>50</sub> (daphnia): 2.9 mg/l (48 hr)

LC<sub>50</sub> (fish): 1.67 mg/l (96 hr)

PNEC (Fresh water): 0.268 mg/l

PNEC (Marine water): 0.027 mg/l

PNEC (Sediment; fresh water): 8.1 mg/kg

PNEC (Sediment; marine water): 6.8 mg/kg

PNEC (Soil): 35 mg/kg

PNEC (STP): 3.43 mg/l

2-phosphonobutane-1,2,4-tricarboxylic acid

IC<sub>50</sub> (algae): >1081 mg/l (72 hr)

LC<sub>50</sub> (fish): >1942 mg/l (96 hr)

PNEC (Fresh water): 0.666 mg/l

## SECTION 12: Ecological information (....)

PNEC (Marine water): 0.066 mg/l  
PNEC (Sediment; fresh water): 2.398 mg/kg  
PNEC (Sediment; marine water): 0.24 mg/kg  
PNEC (Soil): 0.089 mg/kg  
PNEC (STP): 5.4 mg/l

Pyridine-2-thiol 1-oxide, sodium salt

IC<sub>50</sub> (algae): 0.22 mg/l (72 hr)  
EC<sub>50</sub> (daphnia): 0.6 mg/l (48 hr)

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one

IC<sub>50</sub> (algae): 0.04 mg/l (72 hr)  
EC<sub>50</sub> (daphnia): 2.9 mg/l (48 hr)  
LC<sub>50</sub> (fish): 2.19 mg/l (96 hr)  
PNEC (Fresh water): 0.004 mg/l  
PNEC (Marine water): 0.0004 mg/l  
PNEC (Sediment; fresh water): 0.05 mg/kg  
PNEC (Sediment; marine water): 0.005 mg/kg  
PNEC (Soil): 3 mg/kg  
PNEC (STP): 1.03 mg/l

12.2 Persistence and degradability

- Readily biodegradable

12.3 Bioaccumulative potential

- Low bioaccumulation potential

12.4 Mobility in soil

- miscible with water

12.5 Results of PBT and vPvB assessment

- This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

- None

12.7 Other adverse effects

- None
- 

## SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Disposal should be in accordance with local, state or national legislation
  - Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point
  - Obtain the consent of pollution control authorities before discharging to waste water treatment plants
- 

## SECTION 14: Transport information

14.1 UN number or ID number

---

## SECTION 14: Transport information (....)

- UN No.: Not applicable
- 14.2 UN proper shipping name
- Proper Shipping Name: Not applicable
- 14.3 Transport hazard class(es)
- Hazard Class: Not classified
- 14.4 Packing group
- Packing Group: Not classified
- 14.5 Environmental hazards
- Not hazardous according to current ADR Regulations
- 14.6 Special precautions for user
- In the event of an adjacent fire, cool containers with water spray
  - Follow the manufacturer's recommended procedures for the decontamination of the area affected by the spillage
- 14.7 Maritime transport in bulk according to IMO instruments
- Not applicable
- 

## SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Refer to current CLP Regulations
  - Not hazardous according to current ADR Regulations
- 15.2 Chemical safety assessment
- A REACH chemical safety assessment has not been carried out
- 

## SECTION 16: Other information

Text not given with phrase codes where they are used elsewhere in this safety data sheet:- H226: Flammable liquid and vapour. H290: May be corrosive to metals. H302: Harmful if swallowed. H311: Toxic in contact with skin. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects.

Date of Last Change

05/09/2024

Sections updated: 1.3, 3.2

This Safety Data Sheet does not constitute a workplace risk assessment

--- end of safety datasheet ---

---